

<b>WIGOPHARM ADDITIVE KSP BP</b>	<b>Item no.:</b>  <b>00 07 37</b>
<b>Areas of application</b>	<p><b>Cleaning concentrate for the Pharmaceutical -, Cosmetic and Foodstuffs industry.</b></p> <p>Highly effective cleaning additive for all alkaline system cleaning.</p> <p><b>WIGOPHARM Additive KSP BP</b> is a concentrate of active ingredients based on detergents and dispersants.</p> <p><b>WIGOPHARM Additive KSP BP</b> is especially used for the activation of the alkaline cleaning solution in order to intensify the cleaning capacity of the lye. In addition the product is able to reduce the foam behaviour of the cleaning solution. The product is boosting the emulsifying of oil and fat and the dispersing of pigments.</p> <p><b>WIGOPHARM Additive KSP BP</b> is due to its special ingredients particularly for the removal of product remainders in the production plants (machines for granules, Diacoater, vessels for dragees, coated tablets etc.), storage vessels and pipe systems suitable.</p> <p><b>WIGOPHARM Additive KSP BP</b> is used in CIP – systems.</p> <p><b>WIGOPHARM Additive KSP BP</b> contains special hardness stabilizers, which bind even with applications of hot water the water hardness. Special detergents guarantee an optimal rinsing without any residues.</p> <p><b>WIGOPHARM Additive KSP BP</b> contains special anti foam agents to show even with strong turbulences apart from a particularly good net effect also a foam-free cleaning from 50° C.</p> <p>The wash active detergents are well water soluble, so that the problem of residues is reduced clearly when rinsing.</p>
<b>Method of application</b>	<p><b>Add the product with an automatic dosing system (time relay, volumetric control):</b></p> <p>Concentration: 0,05 – 0,5 %          Temperature: 50 – 90° C          Time: 15 – 30 minutes</p> <p>After having used the product rinse thoroughly with drinking water to remove any possible residues!</p>
<b>Material compatibility</b>	<p>PVDF, PP, PE, PVC, Stainless Steel, Aluminium.</p> <p><b>WIGOPHARM Additive KSP BP</b> must not be used on steel and cast iron.</p> <p>In addition, further material incompatibilities cannot be excluded. Therefore, test the product on an unimportant spot before its definite use.</p>

<b>Analysis of concentration</b>	see titration method		
<b>Physical and chemical properties</b>			
<b>Aspect/colour</b>	Pink		
<b>Form</b>	Liquid		
<b>Odour</b>	Characteristic		
<b>Foaming behaviour</b> (see under conditions of application)	Not foaming		
<b>Phosphates</b>	None		
<b>Density (20°C) g/cm<sup>3</sup></b>	1.020 – 1.040		
<b>Concentration</b>	<b>1% in H<sub>2</sub>O dest.</b>	<b>3% in H<sub>2</sub>O dest.</b>	<b>5% in H<sub>2</sub>O dest.</b>
<b>pH value (1%, 20°C)</b>	2.3 – 2.9	not applicable	not applicable
<b>Conductance (1%, 20°C) mS/cm</b>	not applicable	not applicable	not applicable
<b>Phenolphthalein alkalinity (ml)</b>	Not applicable		
<b>m-Value (ml)</b>	Not applicable		
<b>Storage stability</b>	+ 5° C – + 40° C		
<b>Remarks regarding biocides</b>	<b>Not applicable</b>		
<b>Hazardous products and risk symbols</b>	Phosphonic Acid		
<b>Special remarks</b>	<p>Always close the container with the original closure, and store the items in a cool area without solar radiation.          Product which was taken out of the container must never be poured back into the container.</p> <p><b>Read in any case our safety data sheet before using the product!</b></p>		
<b>Disposal</b>	Disposal acc. to official regulations, in case of doubt contact the manufacturer.		

Please refer to our safety data sheets and our operating instructions with regard to precautionary measures, first aid measures and storage. The information given in the Sheet corresponds to the present state of our technical knowledge and experience. They do not constitute any guarantee; they are to be considered as basic information only. In particular they do not guarantee particular properties or the suitability for a concrete purpose. Because of the multitude of possible influences during the application of our products, the user has to make in any case the relevant tests and take the corresponding precautions. Any existing intellectual property rights are to be observed.