Status: 15<sup>th</sup> May, 2023

## **Product properties – Technical sheet**



## GS T GRINDING AGENT

Item no.:

00 07 36

OMINDING AGENT	00 07 36		
Areas of application	<b>GS T</b> can be used for many grinding, polishing and debarring processes.		
	<b>GS T</b> is especially suitable to remove drawing oils and soaps, release agents and all kinds of greases.		
	<b>GS T</b> has a very good cleaning capacity and increases the efficiency of grinding stones.		
	<b>GS T</b> contains a special combination of detergents which ensure a brilliant shine on the surfaces.		
	<b>GS T</b> is a liquid agent to be used in manual or automatically volumetric metering systems.		
Corrosion protection	<b>GS T</b> hasn't any components for corrosion protection to prevent sensitive material from corrosion.		
Method of application	Suitable for automatic dosing (time relay, volumetric control):		
	Concentration: 0.2 – 1.0 % Temperature: 20 – 40°C Spray pressure: 0 bar Time: 1 – 5 minutes		
	According to the desired quality standard the cleaned parts must be rinsed thoroughly with water or demineralised water to remove any possible residues!		
	If parts are sensitive to corrosion an addition of a corrosion inhibitor into the last rinsing bath is necessary.		
Material compatibility			
	PVDF, PP, PE, PVC, stainless steel, ceramic, glass, grey cast iron, steel and non-ferrous metal.		
	GS T must not be used on zinc.		
	In addition, further material incompatibilities cannot be excluded. Therefore, test the product on an unimportant part before its definite use.		

000736.docx 1

Status: 15th May, 2023

## **Product properties – Technical sheet**



Analysis of concentration	according to the titration instructions			
Physical and chemical properties				
Aspect/colour	Clear Colourless – Slightly Brownish			
Form	Liquid			
Odour	Fragrance: Lemon			
Foaming behaviour (see under conditions of application)	Weak Foaming			
Phosphates	n/a			
Density (20°C) g/cm³	1.005 – 1.025			
Concentration	1 % in H₂O dest.	3 % in H₂O dest.	5 % in H₂O dest.	
pH value (1 %, 20°C)	9.4 – 10.4	n/a	n/a	
Conductance (1 %, 20°C) mS/cm	n/a	n/a	n/a	
Phenolphthalein alkalinity (ml)	2.5 ± 0.25 (1 % at 50 ml sample)			
m-Value (ml)	n/a			
Storage stability	+ 5°C to + 40°C			
Remarks regarding biocides	n/a			
Hazardous products	2-aminoethanol			
Risk symbols				
	DANGER			
Special remarks	Always close the container with the original closure, and store the items in a cool area without solar radiation.  Product which was taken out of the container must never be poured back into the container.  Read in any case our safety data sheet before using the product!			
Disposal	Disposal acc. to official regulations, in case of doubt contact the manufacturer.			

Please refer to our safety data sheets and our operating instructions with regard to precautionary measures, first aid measures and storage. The information given in the Sheet corresponds to the present state of our technical knowledge and experience. They do not constitute any guarantee; they are to be considered as basic information only. In particular they do not guarantee particular properties or the suitability for a concrete purpose. Because of the multitude of possible influences during the application of our products, the user has to make in any case the relevant tests and take the corresponding precautions. Any existing intellectual property rights are to be observed.

000736.docx 2