Product properties – Technical sheet



VR X 53		Item no.:		
DEGREASER		00 07 40		
Areas of application	VR X 53 is a mild, high concentrated degreaser to be used in spray and flow cleaning units.			
	VR X 53 is used in aqueous cleaning systems to remove draw- ing oils, mould release agents and slight dirt. Its mild alkaline character and demulsifying detergents considerably support floating of oils so that the efficiency of the oil skimmer can be op- timized.			
	VR X 53 is of particular use for the cleaning of delicate parts, made from delicate material like aluminium and non-ferrous metal.			
Corrosion protection	VR X 53 hasn't any components for corrosion protection to prevent sensitive material from corrosion.			
Method of application				
	Suitable for automatic dosing (time relay, volumetric con- trol):			
	Concentration: $0.5 - 3.0 \%$ Temperature: $50 - 85^{\circ}$ C Spray pressure: $2 - 6$ bar Time: $1 - 3$ minutes			
	According to the desired quality standard the cleaned parts must be rinsed thoroughly with water or demineralised water to remove any possible residues!			
	parts are sensitive to corrosion an addition of a corrosion inhibi- r into the last rinsing bath is necessary.			
Material compatibility	PVDF, PP, PE, PVC, stainless steel, steel, grey cast iron, ceramic, glass, copper, and under certain conditions alumin- ium.			
	VR X 53 must not be used on zinc. In addition, further material incompatibilities cannot be excluded. Therefore, test the product on an unimportant spot before its def- inite use.			

Product properties – Technical sheet



Analysis of concentration	n/a		
Physical and chemical	properties		
Aspect/colour	Clear Colourless – Slightly Yellowish		
Form	Liquid		
Odour	Alcohol-like		
Foaming behaviour (see under conditions of application)	Not foaming		
Phosphates	n/a		
Density (20°C) g/cm ³	1,005 – 1,025		
Concentration	1 % in H ₂ O dest.	3 % in H ₂ O dest.	5 % in H₂O dest.
pH value (1 %, 20°C)	10.01 – 10.7	n/a	n/a
Conductance (1 %, 20°C) mS/cm	n/a	n/a	n/a
Phenolphthalein alkalinity (ml)	n/a		
m-Value (ml)	n/a		
Storage stability	+ 5°C to + 40°C		
Remarks regarding biocides	n/a		
Hazardous products	Fatty alcohol alcoxylate		
Risk symbols			
		DANGER	
Special remarks	Always close the container with the original closure, and store the items in a cool area without solar radiation. Product which was taken out of the container must never be poured back into the container. Read in any case our safety data sheet before using the product!		
Disposal	Disposal acc. to official regulations, in case of doubt contact the manufacturer.		

Please refer to our safety data sheets and our operating instructions with regard to precautionary measures, first aid measures and storage. The information given in the Sheet corresponds to the present state of our technical knowledge and experience. They do not constitute any guarantee; they are to be considered as basic information only. In particular they do not guarantee particular properties or the suitability for a concrete purpose. Because of the multitude of possible influences during the application of our products, the user has to make in any case the relevant tests and take the corresponding precautions. Any existing intellectual property rights are to be observed.