



## Product properties – Technical sheet

<p><b>WIGOCID A</b></p>	<p><b>Item no.:</b> <b>00 09 34</b></p>
<p><b>Areas of application</b></p>	<p>High efficiency product to be used in circulating water systems, e.g. re-cooling systems and pasteurization systems in the beverage industry.</p> <p><b>WIGOCID A</b> contains special ingredients for stabilization of water hardness and high active chlorine.</p> <p>Antifoam components and special agents achieve an excellent wetting power and none foaming processes.</p> <p><b>WIGOCID A</b> avoids water stains on glass bottles, PET bottles and cans because of highly active complexing agents.</p> <p>In case of water of high water hardness we suggest to use additional <b>WIGOCID S</b> in the rinsing station.</p>
<p><b>Method of application</b></p>	<p><b>Add the product with an automatic dosing system (time relay, volumetric control or control over conductivity):</b></p> <p>Concentration: 0.6 mg/l (0.6 ppm active chlorine)          Temperature: cold – 60°C          pH – value: pH 7.0 – 9.0</p> <p>After having used the product rinse thoroughly with drinking water to remove any possible residues!</p> <p>In case of insufficient rinsing in the 'dead areas' of the plant equipment and pipes or in gaps e.g. under seals it could come to the enrichment of chloride ions which can lead at pH values &lt; 7 to pit, hole and intergranular corrosion at stainless steel!</p>
<p><b>Material compatibility</b></p>	<p>PVDF, PP, PE, Stainless Steel, Glass, ceramic.</p> <p><b>WIGOCID A</b> must not be used on steel and cast iron. In addition, further material incompatibilities cannot be excluded. Therefore, test the product on an unimportant spot before its definite use.</p>

## Product properties – Technical sheet

<b>Analysis of concentration</b>	see titration method		
<b>Physical and chemical properties</b>			
<b>Aspect/colour</b>	Yellowish		
<b>Form</b>	Liquid		
<b>Odour</b>	Chlorine-like		
<b>Foaming behaviour</b> <small>(see under conditions of application)</small>	Not foaming		
<b>Phosphates</b>	Contained		
<b>Density (20°C) g/cm<sup>3</sup></b>	1.250 – 1.280		
<b>Concentration</b>	<b>1 % in H<sub>2</sub>O dest.</b>	<b>3 % in H<sub>2</sub>O dest.</b>	<b>5 % in H<sub>2</sub>O dest.</b>
<b>pH value (1 %, 20°C)</b>	12.0 – 12.6	not applicable	not applicable
<b>Conductance (1 %, 20°C) mS/cm</b>	5.0 – 6.0	13.5 – 15.5	22.0 – 26.0
<b>Phenolphthalein alkalinity (ml)</b>	6.0 ± 0.45 (1 % at 30 ml sample)		
<b>m-Value (ml)</b>	not applicable		
<b>Storage stability</b>	+ 5°C to + 40°C		
<b>Remarks regarding biocides</b>	<b>not applicable</b>		
<b>Hazardous products</b>	Potassium Hydroxide / Sodium hypochlorite solution / Sodium Hydroxide		
<b>Risk symbols</b>	 		
	<b>DANGER</b>		
<b>Special remarks</b>	<p>Always close the container with the original closure, and store the items in a cool area without solar radiation. Product which was taken out of the container must never be poured back into the container.</p> <p><b>Read in any case our safety data sheet before using the product!</b></p>		
<b>Disposal</b>	Disposal acc. to official regulations, in case of doubt contact the manufacturer.		

Please refer to our safety data sheets and our operating instructions with regard to precautionary measures, first aid measures and storage. The information given in the Sheet corresponds to the present state of our technical knowledge and experience. They do not constitute any guarantee; they are to be considered as basic information only. In particular they do not guarantee particular properties or the suitability for a concrete purpose. Because of the multitude of possible influences during the application of our products, the user has to make in any case the relevant tests and take the corresponding precautions. Any existing intellectual property rights are to be observed.