Product properties – Technical sheet



TANK CLEANER CIP SP SA

Item no.:

00 10 47

Areas of application

Tank Cleaner CIP SP SA is particularly suitable for all CIP and re-circulating cleaning operations in breweries, diaries and distilleries, because of the appropriate combination of anti-scale agents and not foaming ingredients.

Tank Cleaner CIP SP SA allows easily removing with CIP all stubborn residues of yeast plants, beer scale, milk stone, and mashing scale.

The main areas of application are cone-shaped cylindrical fermentation tanks, storage tanks and floatation tanks.

Tank Cleaner CIP SP SA is suitable for aluminium, stainless steel and plastic tanks.

Method of application

Re-circulating cleaning system, also suitable for systems with CO₂ atmosphere:

Concentration: 1.0 – 5.0 % Temperature: cold – 40°C Time: 20 – 40 minutes

After having used the product rinse thoroughly with drinking water to remove any possible residues!

Material compatibility

PVDF, PP, PE, PVC, Stainless Steel, Glass, Aluminium

Tank Cleaner CIP SP SA must not be used on steel and cast iron. In addition, further material incompatibilities cannot be excluded. Therefore, test the product on an unimportant spot before its definite use.

001047.docx 1

Status: 30th January, 2023

Product properties – Technical sheet



Form Odour Poaming behaviour (see under conditions of application) Phosphates Density (20°C) g/cm³ 1	Clear Colourles Liquid Pungent Not foaming not applicable	es		
Form Odour Poaming behaviour (see under conditions of application) Phosphates Density (20°C) g/cm³ 1	iquid Pungent Not foaming not applicable	S		
Odour Foaming behaviour (see under conditions of application) Phosphates Density (20°C) g/cm³ 1	Pungent Not foaming not applicable			
Foaming behaviour (see under conditions of application) Phosphates Density (20°C) g/cm³ 1	Not foaming not applicable			
(see under conditions of application) Phosphates Density (20°C) g/cm³ 1	not applicable			
Density (20°C) g/cm³ 1		Not foaming		
		not applicable		
Concentration	1.290 – 1.310			
	1 % in H ₂ O dest.	3 % in H₂O dest.	5 % in H₂O dest.	
pH value (1 %, 20°C)	1.0 – 1.6	not applicable	not applicable	
Conductance (1 %, 20°C) mS/cm	28.0 – 32.0	82.0 - 88.0	135.0 – 145.0	
Phenolphthalein alkalinity (ml) 8	8.0 ± 0.5 (1 % at 10 ml sample)			
m-Value (ml) n	not applicable			
Storage stability -	- 5° C - + 40° C			
Remarks regarding biocides	not applicable			
Hazardous products	Nitric acid			
Risk symbols				
	DANGER			
tr P p	Always close the container with the original closure, and store the items in a cool area without solar radiation. Product which was taken out of the container must never be poured back into the container. Read in any case our safety data sheet before using the product!			
	Disposal acc. to official regulations, in case of doubt contact the manufacturer.			

Please refer to our safety data sheets and our operating instructions with regard to precautionary measures, first aid measures and storage. The information given in the Sheet corresponds to the present state of our technical knowledge and experience. They do not constitute any guarantee; they are to be considered as basic information only. In particular they do not guarantee particular properties or the suitability for a concrete purpose. Because of the multitude of possible influences during the application of our products, the user has to make in any case the relevant tests and take the corresponding precautions. Any existing intellectual property rights are to be observed.

001047.docx 2