




Product properties – Technical sheet

BAKTROL 2.200	Item no.: 00 12 53
Areas of application	<p>Baktrol 2.200 is a high-efficiency preservation to be used for all circulating water systems, e.g. tank spray cooling or re-cooling systems in beverage industry with anti-foam component for strong turbulences.</p> <p>Baktrol 2.200 acts against yeast plants, Gram-positive and Gram-negative bacteria.</p> <p>Baktrol 2.200 has an excellent wetting power so that it can penetrate into the small gaps and pores, allowing uniform wetting of all surfaces.</p> <p>Baktrol 2.200 has an excellent material compatibility.</p>
Method of application	<p>For continuous disinfection: Concentration: 40 – 180 g/m³ (40 – 180 ppm) Temperature: cold – 80°C</p> <p>For shock disinfection: Concentration: 180 – 500 g/m³ (180 – 500 ppm) Temperature: cold – 80°C</p> <p>After having used the product rinse thoroughly with drinking water to remove any possible residues!</p> <p>High concentration of chloride ions in the used water can lead to hole and intergranular corrosion at stainless steel when the time of application is longer as described in this data sheet. Different metals in the system can lead to corrosion if the product is used in re-circulation systems for a long time.</p>
Material compatibility	<p>PVDF, PP, PE, PVC, Stainless Steel, Aluminium</p> <p>In addition, further material incompatibilities cannot be excluded. Therefore, test the product on an unimportant spot before its definite use.</p>

Product properties – Technical sheet

Analysis of concentration	not applicable		
Physical and chemical properties			
Aspect/colour	Green to Blue		
Form	Liquid		
Odour	Odourless		
Foaming behaviour <small>(see under conditions of application)</small>	Not foaming		
Phosphates	not applicable		
Density (20°C) g/cm³	1.055 – 1.075		
Concentration	1 % in H₂O dest.	3 % in H₂O dest.	5 % in H₂O dest.
pH value (1 %, 20°C)	3.7 – 4.3	not applicable	not applicable
Conductance (1 %, 20°C) mS/cm	not applicable	not applicable	not applicable
Phenolphthalein alkalinity (ml)	not applicable		
m-Value (ml)	not applicable		
Storage stability	+ 5°C to + 30°C		
Remarks regarding biocides	Use biocides safely. Always read the label and product information before use! The product contains: 30 g/kg Chloro-methyl-isothiazolone, 12 g/kg Methyl-Isothiazolone		
Hazardous products	reaction mass of: 5-chloro-2-methyl-4-isothiazolin -3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)		
Risk symbols			
	DANGER		
Special remarks	<p>Always close the container with the original closure, and store the items in a cool area without solar radiation. Product which was taken out of the container must never be poured back into the container.</p> <p>Read in any case our safety data sheet before using the product!</p>		
Disposal	Disposal acc. to official regulations, in case of doubt contact the manufacturer.		

Please refer to our safety data sheets and our operating instructions with regard to precautionary measures, first aid measures and storage. The information given in the Sheet corresponds to the present state of our technical knowledge and experience. They do not constitute any guarantee; they are to be considered as basic information only. In particular they do not guarantee particular properties or the suitability for a concrete purpose. Because of the multitude of possible influences during the application of our products, the user has to make in any case the relevant tests and take the corresponding precautions. Any existing intellectual property rights are to be observed.