Product properties – Technical sheet



	Item no.:		
	00 14 11		
Crate Washer SMK has been specially adapted for the mechan- ical cleaning of plastic crates and the removal of residues in bak- eries, butcher's shops, breweries, lemonade and fruit juice manu- facturing plants, dairies, wine cellars and unfermented fruit juice plants. Antistatic additives promote optimum cleaning. Crate Washer SMK also special properties for the removal of or-			
Crate Washer SMK has anti foaming detergents and can be used in machines with spray rinsing systems.			
Depending on the degree of contamination use a suitable dosing system for automatic proportioning (timer controlled, specific amount allocation or conductance dependent):			
Concentration: 0.5 – 3.0 % Temperature: 30 – 70°C Time: 1 – 3 minutes			
After having used the product rinse t to remove any possible residues!	horoughly with drinking water		
PVDF, PP, PE, PVC, Stainless Stee	I, Glass, Aluminium		
Crate Washer SMK must not be use In addition, further material incompa Therefore, test the product on an un inite use.	tibilities cannot be excluded.		
	 ical cleaning of plastic crates and the eries, butcher's shops, breweries, lead facturing plants, dairies, wine cellars plants. Antistatic additives promote of Crate Washer SMK also special programic and inorganic residues. Crate Washer SMK has anti foaming in machines with spray rinsing system for automatic propresecific amount allocation or contration: 0.5 – 3.0 % Temperature: 30 – 70°C Time: 1 – 3 minutes After having used the product rinse of to remove any possible residues! PVDF, PP, PE, PVC, Stainless Stee Crate Washer SMK must not be used in addition, further material incompation of the product on an united to remove the product on an united to the product on an united to remove the product on an united to the product on th		

Product properties – Technical sheet



Analysis of concentration	according to the titration instructions				
Physical and chemical	properties				
Aspect/colour	Clear Colourless – Brownish				
Form	Liquid				
Odour	Characteristic				
Foaming behaviour (see under conditions of application)	Not foaming				
Phosphates	n/a	n/a			
Density (20°C) g/cm ³	1.070 – 1.090				
Concentration	1 % in H ₂ O dest.	3 % in H	20 dest.	5 % in H ₂ O dest.	
pH value (1 %, 20°C)	1.9 – 2.5	n,	/a	n/a	
Conductance (1 %, 20°C) mS/cm	3.05 - 3.65	7.9 -	- 8.9	12.5 – 14.0	
Phenolphthalein alkalinity (ml)	7.8 ± 0.5 (1 % at 30 ml sample)				
m-Value (ml)	n/a				
Storage stability	+ 5°C to + 30°C				
Remarks regarding biocides	n/a				
Hazardous products	Lactic acid / 2-(2-butoxyethoxy)ethanol				
Risk symbols					
	DANGER				
Special remarks	Always close the container with the original closure, and store the items in a cool area without solar radiation. Product which was taken out of the container must never be poured back into the container. Read in any case our safety data sheet before using the				
Disposal	product!	-			
Disposal	Disposal acc. to official regulations, in case of doubt contact the manufacturer.				

Please refer to our safety data sheets and our operating instructions with regard to precautionary measures, first aid measures and storage. The information given in the Sheet corresponds to the present state of our technical knowledge and experience. They do not constitute any guarantee; they are to be considered as basic information only. In particular they do not guarantee particular properties or the suitability for a concrete purpose. Because of the multitude of possible influences during the application of our products, the user has to make in any case the relevant tests and take the corresponding precautions. Any existing intellectual property rights are to be observed.