Product properties – Technical sheet



Т

CLEANER FOR PICKLING INJECTION SYSTEMS		Item no.:			
		30 79 00			
Areas of application	CLEANER FOR PICKLING INJECTION SYSTEMS IS A HIGHLY ACTIVE CLEANING CONCENTRATE FOR THE REMOVAL OF ALBUMEN CAR- BONATE COMPOUNDS.Cleaner for Pickling Injection Systems is employed in food factories, meat and sausage factories.Cleaner for Pickling Injection Systems is a special concen- 				
	Cleaner for Pickling Injection Systems contains a special combination of detergents which ensure a brilliant shine after having rinsed the surface with water.				
Method of application					
	 Manual cleaning (outside) or pumping around the system: Concentration: 2.0 – 5.0 % Temperature: cold – 40°C Time: 5 – 10 minutes After having used the product rinse thoroughly with drinking water 				
	to remove any possible residues! In case of insufficient rinsing in the 'dead areas' of the plant equipment and pipes or in gaps e.g. under seals it could come to the enrichment of chloride ions which can lead at pH values < 7 to pit, hole and intergranular corrosion at stainless steel!				
Material compatibility	PVDF, PP, PE, PVC, Stainless Stee	I, Aluminium, Glass			
	Cleaner for Pickling Injection Systems must not be used on steel, zinc, cast iron and marble.				
	In addition, further material incompa Therefore, test the product on an un inite use.				

Product properties – Technical sheet



Analysis of concentration	according to the titration instructions					
Physical and chemical	properties					
Aspect/colour	Clear Colourles	Clear Colourless				
Form	Liquid					
Odour	Characteristic					
Foaming behaviour (see under conditions of application)	Weak Foaming					
Phosphates	Contained					
Density (20°C) g/cm ³	1.150 – 1.170					
Concentration	1 % in H ₂ O dest.	3 % in H	l₂O dest.	5 % in H ₂ O dest.		
pH value (1 %, 20°C)	1.7 – 2.3	n	/a	n/a		
Conductance (1 %, 20°C) mS/cm	3.85 – 4.85	7.8	- 9.8	8 11.5 – 14.5		
Phenolphthalein alkalinity (ml)	5.1 ± 0.5 (1 % at 10 ml sample)					
m-Value (ml)	n/a					
Storage stability	- 5°C to + 40°C					
Remarks regarding biocides	n/a					
Hazardous products	Orthophosphoric acid					
Risk symbols						
	DANGER					
Special remarks	Always close the container with the original closure, and store the items in a cool area without solar radiation. Product which was taken out of the container must never be poured back into the container.					
	Read in any case our safety data sheet before using the product!					
Disposal	Disposal acc. to official regulations, in case of doubt contact the manufacturer.					

Please refer to our safety data sheets and our operating instructions with regard to precautionary measures, first aid measures and storage. The information given in the Sheet corresponds to the present state of our technical knowledge and experience. They do not constitute any guarantee; they are to be considered as basic information only. In particular they do not guarantee particular properties or the suitability for a concrete purpose. Because of the multitude of possible influences during the application of our products, the user has to make in any case the relevant tests and take the corresponding precautions. Any existing intellectual property rights are to be observed.