


<p><b>REMOVAL OF CONCRETE AND LIME RESIDUES</b></p>	<p><b>Item no.:</b> <b>60 10 00</b></p>
<p><b>Areas of application</b></p>	<p><b>Removal of Concrete and Lime</b> is a strong acid concentrate for the removal of inorganic residues, with special inhibitors to protect the metal surfaces from corrosion.</p> <p><b>Removal of Concrete and Lime</b> is used for the removal of concrete on trucks, ready-mix trucks, concrete mixers and all kind of tools.</p> <p>Anticorrosive inhibitors reduce the corrosion on cast iron and steel. Do not use for refined steel and chrome.</p>
<p><b>Method of application</b></p>	<p><b>Manual application with an acid resistant brush or with a suitable spraying system:</b>                  Concentration: 10.0 – 30.0 %                  Temperature: 5 – 30°C                  Time: 5 – 15 minutes                  After having used the product rinse thoroughly with drinking water to remove any possible residues!</p>
<p><b>Material compatibility</b></p>	<p>PVDF, PP, PE, PVC, Glass</p> <p>On steel, zinc, cast iron it is possible to have a little removal of the material. Don't use the product on refined steel and chrome.</p> <p>In addition, further material incompatibilities cannot be excluded. Therefore, test the product on an unimportant spot before its definite use.</p>

<b>Analysis of concentration</b>	see titration method		
<b>Physical and chemical properties</b>			
<b>Aspect/colour</b>	Dark Brown		
<b>Form</b>	Liquid		
<b>Odour</b>	Pungent		
<b>Foaming behaviour</b> <small>(see under conditions of application)</small>	Not foaming		
<b>Phosphates</b>	None		
<b>Density (20°C) g/cm<sup>3</sup></b>	1.150 – 1.170		
<b>Concentration</b>	<b>1 % in H<sub>2</sub>O dest.</b>	<b>3 % in H<sub>2</sub>O dest.</b>	<b>5 % in H<sub>2</sub>O dest.</b>
<b>pH value (1 %, 20°C)</b>	1.0 – 1.6	not applicable	not applicable
<b>Conductance (1 %, 20°C) mS/cm</b>	31.0 – 36.0	90.0 – 105.0	150.0 – 170.0
<b>Phenolphthalein alkalinity (ml)</b>	8.5 ± 0.5 (1 % at 10 ml sample)		
<b>m-Value (ml)</b>	not applicable		
<b>Storage stability</b>	- 5°C – + 40°C		
<b>Remarks regarding biocides</b>	<b>Not applicable</b>		
<b>Hazardous products</b>	Hydrochloric acid		
<b>Risk symbols</b>			
	<b>DANGER</b>		
<b>Special remarks</b>	<p>Always close the container with the original closure, and store the items in a cool area without solar radiation. Product which was taken out of the container must never be poured back into the container.</p> <p><b>Read in any case our safety data sheet before using the product!</b></p>		
<b>Disposal</b>	Disposal acc. to official regulations, in case of doubt contact the manufacturer.		
<p>Please refer to our safety data sheets and our operating instructions with regard to precautionary measures, first aid measures and storage. The information given in the Sheet corresponds to the present state of our technical knowledge and experience. They do not constitute any guarantee; they are to be considered as basic information only. In particular they do not guarantee particular properties or the suitability for a concrete purpose. Because of the multitude of possible influences during the application of our products, the user has to make in any case the relevant tests and take the corresponding precautions. Any existing intellectual property rights are to be observed.</p>			