## Product properties – Technical sheet



| FO                     |   | Item no.:                      |  |
|------------------------|---|--------------------------------|--|
| PROTECTION             |   | 80 50 22                       |  |
| Areas of application   |   |                                |  |
|                        | <b>FO Protection</b> is an anti-corrosive agent based on mineral anti corrosive agents, to protect surfaces made from Steel and cast iron.  |                                |  |
|                        | <b>FO Protection</b> can be used on all metallic surfaces as well as other machinery and equipment during long term production breaks.  |                                |  |
|                        | <b>FO Protection</b> produces tight oily layers in order to protect the surfaces from dampness and oxidation.   |                                |  |
| Corrosion protection   |   |                                |  |
|                        | <b>FO Protection</b> has special components for corrosion protection to prevent sensitive material from corrosion.  |                                |  |
| Method of application  |   |                                |  |
|                        | Manual, using a cloth, paint brush<br>special cases the parts can be tre<br>Concentration: undiluted<br>Temperature: 20 – 40° C (warming u<br>application by spraying)<br>Time: The product remains on the su | ated in a dipping process:     |  |
| Material compatibility |   |                                |  |
|                        | Stainless Steel, Steel, Glass, Cast Iron, Copper and Aluminium.   |                                |  |
|                        | <b>FO Protection</b> must not be used on<br>In addition, further material incompa<br>Therefore, test the product on an un<br>inite use.   | tibilities cannot be excluded. |  |

## **Product properties – Technical sheet**



| n/a  |   |   |
|--|---|---|
| properties   |   |   |
| Clear Colourless   |   |   |
| Viscous  |   |   |
| Odourless  |   |   |
| Not foaming  |   |   |
| n/a  |   |   |
| 0.855 – 0.875  |   |   |
| 1 % in H <sub>2</sub> O dest.  | 3 % in H <sub>2</sub> O dest.   | 5 % in H₂O dest.  |
| n/a  | n/a   | n/a   |
| n/a  | n/a   | n/a   |
| n/a  |   |   |
| n/a  |   |   |
| - 20°C to + 30°C   |   |   |
| n/a  |   |   |
| Paraffin oil   |   |   |
| THE PRODUCT IS NOT CLASSIFIED ACCORDING TO THE CLP<br>REGULATION<br>AND REQUIRES NO LABELING!  |   |   |
| Always close the container with the original closure, and store<br>the items in a cool area without solar radiation.<br>Product which was taken out of the container must never be<br>poured back into the container.<br><b>Read in any case our safety data sheet before using the</b><br><b>product!</b> |   |   |
| Disposal acc. to official regulations, in case of doubt contact the manufacturer.  |   |   |
|  | Clear Colourless<br>Viscous<br>Odourless<br>Not foaming<br>n/a<br>0.855 – 0.875<br><b>1 % in H<sub>2</sub>O dest.</b><br>n/a<br>n/a<br>n/a<br>- 20°C to + 30°C<br><b>n/a</b><br>Paraffin oil<br><b>THE PRODUCT IS</b><br>AN<br>Always close the con<br>the items in a cool ard<br>Product which was ta<br>poured back into the<br><b>Read in any case ou</b><br><b>product!</b> | oroperties   Clear Colourless   Viscous Odourless   Odourless Not foaming   n/a 0.855 – 0.875   1 % in H2O dest. 3 % in H2O dest.   n/a n/a   Paraffin oil THE PRODUCT IS NOT CLASSIFIED ACCOR REGULATION AND REQUIRES NO LABELIN   Always close the container with the original the items in a cool area without solar radiat Product which was taken out of the contain poured back into the container.   Read in any case our safety data sheet to product!   Disposal acc. to official regulations, in case |

Please refer to our safety data sheets and our operating instructions with regard to precautionary measures, first aid measures and storage. The information given in the Sheet corresponds to the present state of our technical knowledge and experience. They do not constitute any guarantee; they are to be considered as basic information only. In particular they do not guarantee particular properties or the suitability for a concrete purpose. Because of the multitude of possible influences during the application of our products, the user has to make in any case the relevant tests and take the corresponding precautions. Any existing intellectual property rights are to be observed.